

STN CAPLUS Search Strategy

10/656,863 10/05/2005

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.



FILE COVERS 1907 - 5 Oct 2005 VOL 143 ISS 15
FILE LAST UPDATED: 4 Oct 2005 (20051004/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10656863\1st look5.str



chain nodes :
10 12 13 15 16 17 18
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-18 3-17 4-16 7-10 8-13 10-12 10-15
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
exact/norm bonds :
6-9 8-9 8-13 10-12 10-15
exact bonds :
1-18 3-17 4-16 5-7 7-8 7-10
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :

G1:O,S

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
12:CLASS 13:CLASS 15:Atom 16:CLASS 17:CLASS 18:CLASS


L1 STRUCTURE UPLOADED

=> D L1

L1 HAS NO ANSWERS

L1

STR



G1 O,S

Structure attributes must be viewed using STN Express query preparation.

=> S L1

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

SAMPLE SEARCH INITIATED 14:12:33 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 259 TO ITERATE

100.0% PROCESSED 259 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

50 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 4215 TO 6145
PROJECTED ANSWERS: 1130 TO 2228

L2 50 SEA SSS SAM L1

L3 6 L2

10/656,863 10/05/2005

=> S L1 FULL

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 14:12:40 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 5144 TO ITERATE

100.0% PROCESSED 5144 ITERATIONS

1464 ANSWERS

SEARCH TIME: 00.00.01


L4 1464 SEA SSS FUL L1

L5 25 L4

=> D IBIB HITSTR 1-25


10/656,863

L10 ANSWER 19 OF 25 CAPLUS COPYRIGHT 2005 ACS on STN
 ACCESSION NUMBER: 1992:255518 CAPLUS
 DOCUMENT NUMBER: 116:255518
 TITLE: Synthesis and some reactions of 4-(N-acetyloxindolydene)-2-aryl-5(4H)-oxazolones
 AUTHOR(S): Kandile, Nadia G.; Abdel Latif, Tahia M.; El Sayed, Wafaa A.
 CORPORATE SOURCE: Univ. Coll. Women, Ain Shams Univ., Cairo, Egypt
 SOURCE: Revue Roumaine de Chimie (1991), 36(1-3), 245-50
 CODEN: RRCHAX; ISSN: 0035-3930
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 116:255518
 GI



AB Oxazolones I (R = Ph, Et) were prepared by the condensation of isatin with acylglycines $RCONHCH_2CO_2H$ under Perkin conditions. The hydrolysis of I gave the corresponding deacetyl derivs. The hydrazinolysis of I with hydrazine at room temperature gave cyclic hydrazides II. The aminolysis of I with H_2NR_1 ($R_1 = NHPh, CH_2Ph, Ph$) gave amides III. The cyclization of III in boiling 6N HCl gave lactams IV.

L10 ANSWER 20 OF 25 CAPLUS COPYRIGHT 2005 ACS on STN
 ACCESSION NUMBER: 1991:81699 CAPLUS
 DOCUMENT NUMBER: 114:81699
 TITLE: Reaction of 2-aryl-4-(N-acetyloxindolydene)oxazolin-5-ones with B-substituted amines
 AUTHOR(S): Kandile, Nadia G.
 CORPORATE SOURCE: Univ. Coll. Women, Ain Shams Univ., Heliopolis, Egypt
 SOURCE: Oriental Journal of Chemistry (1989), 5(2), 139-42
 CODEN: OJCHEG; ISSN: 0970-020X
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 114:81699
 GI



AB Oxazolinones I ($R = \text{Ph, Me, } X = X1$) reacted with $o\text{-(H}_2\text{N)}_2\text{C}_6\text{H}_4$ to give $R\text{CONHC(}X1\text{)CONHC}_6\text{H}_4\text{NH}_2\text{-2}$ which were cyclized by AcONa-AcOH to benzimidazoles II. Treatment of I with $o\text{-(H}_2\text{N)}_2\text{C}_6\text{H}_4$ and AcONa gave imidazoles III which were cyclized to the benzimidazoles by AcONa-AcOH . Similar results were obtained with $o\text{-H}_2\text{NC}_6\text{H}_4\text{CO}_2\text{H}$.

L10 ANSWER 24 OF 25 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1968:443798 CAPLUS

DOCUMENT NUMBER: 69:43798

TITLE: Indole derivatives

INVENTOR(S): Teshigawara, Takashi; Kobayashi, Goro; Matsuda, Yoshiro

SOURCE: Jpn. Tokkyo Koho, 9 pp.

CODEN: JAXXAD

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 42024899	B4	19671129	JP	19651227

GI For diagram(s), see printed CA Issue.

AB A mixture of 2 g. 3-[bis(methylthio)methylene]-2-oxindole, 10 ml. EtOH, and 1.5 g. ethylenediamine is heated 1 hr. to give 50% I [R = H, (R1R2 =) NHCH2CH2NH, pale yellow, m. >296°. Similarly prepared are the following I (R, R1, R2, and m.p. given): Me, (R1R2 =) NHCH2CH2NH, 256°; H, (R1R2 =) NHCH2CH2O, 261-3°; Me, (R1R2 =) NHCH2CH2O, 242°; Me, MeS, EtO2-CCH2NH, 133.5°; Me, MeS, H2NC(:NH)NH, 236°; H, NH2NH, NH2NH, 183-4°; Me, MeS, cyclohexylamino, 90-1°; Me, Bu2N, NH2NH, 168-9°; H, MeS, PhNH, 167-8°; Me, MeS, PhNH, 124-8°; H, PhNH, 212-13°; H, MeS, morpholino, 234-6°; H, morpholino, morpholino, 300°; Me, MeS, MeS, 174-6°; Me, 1-piperidinyl, NH2NH, 188-90°. The products are bactericides and anti-virus drugs.